Tuesday, 2/5/2008 11:07:09 AM

Kim Johnston

### **Process Sheet**

**Drawing Name** 

Part Number

**Drawing Number** 

Project Number

Customer Job Number : CU-DAR001 Dart Helicopters Services

: 37205 : 12660

**Estimate Number** P.O. Number

: 2/5/2008

: NC

Prsht Rev. First Issue Previous Run

Written By

This Issue

: //

: 35240

Type

S.O. No. :

New Issue 07-01-22

: SMALL /MED FAB

**Drawing Revision** Material

**Due Date** 

: 2/14/2008

: D35741

: N/A

: A

D3574 REV.A

: CABIN FLOOR PROTECTOR

Qty:

5 Um:

Each

Comment **Additional Product** 

Checked & Approved By

Job Number:



Seq. #:

: Est Rev A

Description:

1.0

EXS125 F6002904

lexan grey

Comment: Qty.:

32.0000 sf(s)/Unit

Total: 160.0000 sf(s)

F60029 lexan sheet

Batch:

2.0

WATER JET



Comment: FLOW WATER JET

1-Cut as per Dwg D3574

Dwg Rev:\_

Prog Rev:\_

B 8-2-1



2-Deburr if necessary

3.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



B8-7-4



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

QC8

SECOND CHECK



Comment: SECOND CHECK

5.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1





Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary.

08:02:08

### **Dart Aerospace Ltd**

	•									
W/O:			٧	VORK ORDER CHA	NGES					
DATE	STEP	PRO	PROCEDURE CHANGE By					Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
									<u> </u>	
							<u></u>		<u> </u>	1
Part No	<u> </u>	PAR #:	Fault Ca	tegory:	NCF					
								:	_ Date: _	
NCR:		\ 	NORK OR	DER NON-CONFOR	RMANCE	(NCR)				
DATE	STEP	Description of NC	on of NC Corrective Action		Section B		Verification		Approval	Approval
DATE	SIEP	Section A	Initial Chief Eng	Action Descripti Chief Eng	on	Sign & Date	Section		Chief Eng	QC Inspector
						· ·				
			-							
			·	,	•					
,										

NOTE: Date & initial all entries


Date: Tuesday, 2/5/2008 11:07:09 AM User: Kim Johnston **Process Sheet** Drawing Name: CABIN FLOOR PROTECTOR Customer: CU-DAR001 Dart Helicopters Services Part Number: D35741 Job Number: 37205 Job Number: Description : Seq. #: **Machine Or Operation:** INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 7.0 Comment: PACKAGING RESOURCE #1 Identify with P/N and B/N Ising a permanent fine point marker, then Stock Location: 8.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE W 28.02.12 Job Completion


### **Dart Aerospace Ltd**

Dail Ae	ospace	Ltu							
W/O:			WC	RK ORDER CHANGE	S		· ··· · · · · · · · · · · · · · · ·		
DATE STEP		PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			•						
						•			
Part No	:	PAR #:	Fault Categ	jory:	NCR: Yes	No DQ	A:	Date:	
				•	QA: N	I/C Closed	d:	_ Date: _	
NCR:		\	NORK ORDE	R NON-CONFORMAN	ICE (NCF	₹)			
		Description of NC Corrective Action Section			В	Verific	ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date	Section		Chief Eng	QC Inspector
							-		

NOTE: Date & initial all entries








## D3574-1 CABIN FLOOR PROTECTOR (SHOWN), D3574-2 (OPPOSITE)


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- CHECK PER TEMPLATE DT8961

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








#### NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8962

Copyright @ 2007 by DART AEROSPACE LTD





NO.3



# D3574-4 CABIN FLOOR PROTECTOR


NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- CHECK PER TEMPLATE DT8963

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








### NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-5" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8964

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







### D3574-6 CABIN FLOOR PROTECTOR

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3574-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8965

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD	Work Order:	31265
Description: CABIN CLOCK PROTECTOR	Part Number:	D3574-1
Inspection Dwg: D3574 - Rev: A		Page 1 of 1

### FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
ø 3.∞	4- ,030	3,660	*			
7.37	4030	7.37	*			
11.00	4- ,030	(1.60	يخ خ			].
15.2S	4- 030	15.75	$\lambda$			
T8.25	t/- ,030	25.87	6			
39.75	4030	39.75	کو			
44.75	1/030	44.75	ملح	<u> </u>		
53.51	4630	53.51	×			
63.50	1/030	63.50	8			
65.35	4030	65.25	8			
10.75	4000	10.75	<i>ل</i> ا			
	4/_ ,020	14.75	8			
	4030	25.50	M			
	4030	วรเวร	×			
~~~	V030	26.00	¥	`		
	4- ,030	32.87	<b>X</b>			
	4030	38.81	+			
	1030	45.00	هد			
	t/020	47.75	<b>F</b>	1		-
	1030	58.38	7	-		
<del></del>	- 030	61.25	<b>x</b>			
	1030	64,13				
64.63 +	1 ,030	64.63	e .			

				•		/	
Measured by:	HB	Audited by:	7	Prototype Approval:	u		
Date:	8-2-7	Date:	08/02/07	Date:		7	

53				·
Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	



DART AEROSPACE LTD	Work Order: 3720S
Description: CABIN FLOR PROTECTOR	Part Number: D3574-1
Inspection Dwg: D 3 \$74-IRev: A	Page 1 of 1

### FIRST ARTICLE INSPECTION CHECKLIST

X	First Article	Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
7.50	4036	7.50	×			
9.50	4030	9.50	يح			
10.38	4030	10.38	<u>አ</u>			
10.88	4 .00	10.88	<b>x</b>			
	1/020	14.SO	یح			
16.56	1- 030	16.56	¥			
18.75	4/030	18.75	*			
24.13	4020	24.13	×			
26.50	4030	26.50	*		·	
	4030	36.50	<b>X</b>			
	4/2 .020	33.88	*			
	1/030	39.50	×			
	4030	40.05	<b>&gt;</b> -			
	4030	43.50	*			
	1/2 .636	46.60	*			
	7- 630	7.63	*			
	630	7	\$			
	030	11.50	*			
	630	16.75 X	9			
1.40	.030	19.00	4			
000	930	23.50	á l			
36.75 7	7 .030	30.75 ×				
3).63 7	036	33.63				

	· · · · · · · · · · · · · · · · · · ·			•		
Measured by:	LB	Audited by:	(	Prototype Approval:	1	
Date:	8-2-7	Date:	selves	Date:	17	

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	

DART AEROSPACE LTD	Work Order:	37265
Description: CABIN FLOOR PROTECTOR	Part Number:	D3574-1
Inspection Dwg: D2C74_I Rev: A		Page 1 of 1

### FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

<u> </u>						· · · · · · · · · · · · · · · · · · ·
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	
3) 75	4030	32:75	*			
35,13	4 630	35.13	*			
36.50	7- 630	34.50	×			
40.00	1/2 030	t 6	r			
41.88	4030	41.88	*			
43.63	1/2 .030	4363	×			
				<u> </u>		
				} !		
			· · · · · · · · · · · · · · · · · · ·			<u> </u>
			- <del></del>			
<u> </u>						
					· · · · · · · · · · · · · · · · · · ·	
						-
			· · ·			•
						1
		· [				
	· · · · · · · · · · · · · · · · · · ·					

				•		
Measured by:	HS	Audited by:	٠	Prototype Approval:	il f	1
Date:	8-2-7	Date:	odnor	Date:	1	7
	0 2		dollar			<i>T</i>

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	